INDEX TO AUTHORS

A

ADELMAN, WILLIAM J., JR. See KISHIMOTO and ADELMAN, 975

ALPERN, MATHEW, MCCREADY, DONALD W., JR., and BARR, LLOYD. The dependence on the photopupil response on flash duration and intensity, 265

B

BARKER, JENNIFER. See KIRSCHNER and BARKER, 1061

BARR, LLOYD. See ALPERN, MCCREADY, and BARR, 265

BARTON, T. C., and BROWN, D. A. J. Water permeability of the fetal erythrocyte, 839

BEIDLER, LLOYD M. See TATEDA and BEIDLER, 479

VON BÉKÉSY, GEORG. Rhythmical variations accompanying gustatory stimulation observed by means of localization phenomena, 809

BERNHARD, C. G., and OTTOSON, D. Quantitative studies on pigment migration and light sensitivity in the compound eye at different light intensities, 465

BERNSTEIN, R. S. See PAGE and BERNSTEIN, 1129

BRANDT, PHILIP W. See GIRARDIER, REUBEN, BRANDT, and GRUNDFEST, 189

BROWN, D. A. J. See BARTON and BROWN, 839

BROWN, PAUL K. See MATTHEWS, HUBBARD, BROWN, and WALD, 215

BRYANT, S. H. See HERZOG, FEIBEL, and BRYANT, 719

C

CABRERA-JUÁREZ, EMILIANO. Nitrous acid reactivation of ultraviolet-irradiated transforming DNA from *Haemophilus influenzae*, 279

CANDIA, OSCAR A. See ZADUNAISKY, CANDIA, and CHIARANDINI, 393

CARMELIET, E. E. Influence of lithium ions on the transmembrane potential and cation content of cardiac cells, 501

CARTER, MELVIN W., MATRONE, GENNARD, and MENDENHALL, W. Estimation of the life span of red blood cells, 851

CEREIJIDO, MARCELINO, HERRERA, FRANCISCO C., FLANIGAN, WILLIAM J., and CURRAN, PETER F. The influence of Na concentration on Na transport across frog skin, 879

CHIARANDINI, DANTE J. See ZADUNAISKY, CANDIA, and CHIARANDINI, 393

CONE, RICHARD A. The rat electroretinogram. I. Contrasting effects of adaptation on the amplitude and latency of the b-wave, 1089

—. II. Bloch's law and the latency mechanism of the b-wave, 1107

CRESCITELLI, FREDERICK. The photosensitive retinal pigment system of *Gekko gekko*, 33

CURRAN, PETER F., 1251

— See CEREIJIDO, HERRERA, FLANIGAN, and CURRAN, 879

CURTIS, BRIAN A. The recovery of contractile ability following a contracture in skeletal muscle, 953

D

DENNISON, DAVID S. The effect of light on the geotropic responses of *Phycomyces* sporangiophores, 651

DE VOE, ROBERT D. Linear relations between stimulus amplitudes and amplitudes of retinal action potentials from the eye of the wolf spider, 13

DURBIN, RICHARD P. Anion requirements for gastric acid secretion, 735

E

EPSTEIN, WOLFGANG. See SCHULTZ, EPSTEIN, and SOLOMON, 329

F

FEIBEL, R. M. See HERZOG, FEIBEL, and BRYANT, 719

FEINSTEIN, MAURICE B. Inhibition of caffeine rigor and radiocalcium movements by local anesthetics in frog sartorius muscle, 151

FINKELSTEIN, ALAN. Electrical excitability of isolated frog skin and toad bladder, 545
FLANIGAN, WILLIAM J. See CEREIJIDO, HERRERA, FLANIGAN, and CURRAN, 879
FREYGANG, W. H., JR., GOLDSTEIN, D. A., and HELLAM, D. C. The after-potential that follows trains of impulses in frog muscle fibers, 929
FUJINO, MASAHIRO, and FUJINO, SUMIKO. Selective inhibition of potassium contracture in presence of intact twitch, 1079
FUJINO, SUMIKO. See FUJINO and FUJINO, 1079
FUORTES, M. G. F., and YEANDLE, S. Probability of occurrence of discrete potential waves in the eye of *Limulus*, 443

G

GARCÍA ROMEU, F., and MAETZ, J. The mechanism of sodium and chloride uptake by the gills of a fresh-water fish, *Carassius auratus*. I. Evidence for an independent uptake of sodium and chloride ions, 1195
—. See MAETZ and GARCÍA ROMEU, 1209
GIEBISCH, GERHARD, KLOSE, RUTH M., MALNIC, GERHARD, SULLIVAN, W. JAMES, and WINDHAGER, ERICH E. Sodium movement across single perfused proximal tubules of rat kidneys, 1175
GINZBURG, B. Z., and KATCHALSKY, A. The frictional coefficients of the flows of non-electrolytes through artificial membranes, 403
GIRARDIER, LUCIEN, REUBEN, JOHN P., BRANDT, PHILIP W., and GRUNDFEST, HARRY. Evidence for anion-permselective membrane in crayfish muscle fibers and its possible role in excitation-contraction coupling, 189
—. See REUBEN, GIRARDIER, and GRUNDFEST, 1141
GOERKE, R. J. See PAGE, GOERKE, and STORM, 531
GOLDSMITH, TIMOTHY H., and WARNER, LANA T. Vitamin A in the vision of insects, 433
GOLDSTEIN, D. A. See FREYGANG, GOLDSTEIN, and HELLAM, 929
GRUNDFEST, HARRY. See GIRARDIER, REUBEN, BRANDT, and GRUNDFEST, 189
—. See REUBEN, GIRARDIER, and GRUNDFEST, 1141

H

HABICH, KATHRYN I. See LEFEVRE, 585
HARA, REIKO. Changes in electrical conductance of rhodopsin on photolysis, 241
HASTINGS, J. WOODLAND. See KARAKASHIAN and HASTINGS, 1
HEIN, MANFRED M. See IRWIN and HEIN, 133, 639
HELLAM, D. C. See FREYGANG, GOLDSTEIN, and HELLAM, 929
HENDERSON, E. G. See SJODIN and HENDERSON, 605
HERRERA, FRANCISCO C. See CEREIJIDO, HERRERA, FLANIGAN, and CURRAN, 879
HERZOG, W. H., FEIBEL, R. M., and BRYANT, S. H. The effect of aconitine on the giant axon of the squid, 719
HORTON, RICHARD E. See SPRINGER and HORTON, 1229
HOSHIKO, T. See LINDLEY and HOSHIKO, 749
—. See LINDLEY, HOSHIKO, and LEB, 773
HOSKIN, F. C. G., and ROSENBERG, PHILIP. Alteration of acetylcholine penetration into, and effects on, venom-treated squid axons by physostigmine and related compounds, 1117
HUBBARD, RUTH. See MATTHEWS, HUBBARD, BROWN, and WALD, 215
HURWITZ, LEON. See WEISS and HURWITZ, 173

I

IRWIN, RICHARD L., and HEIN, MANFRED M. Contracture coupling of slow striated muscle in non-ionic solutions and replacement of calcium, sodium, and potassium, 639
— and —. Contracture of slow striated muscle during calcium deprivation, 133

J

JOHNSON, JOHN A. See VARGAS and JOHNSON, 667
JOHNSON, S. L., and WOODBURY, J. W. Membrane resistance of human red cells, 827
JONES, ELIZABETH M. See MCDOUGAL, SCHIMKE, JONES, and TOUHILL, 419

K

KANDEL, E. R. Electrical properties of hypothalamic neuroendocrine cells, 691
KAPLAN, J. GORDIN. The reversion of catalase during growth of yeast in anaerobiosis, 103
KARAKASHIAN, MARLENE W., and HASTINGS, J. WOODLAND. The effects of inhibitors of macromolecular biosynthesis upon the persistent rhythm of luminescence in *Gonyaulax*, 1
KATCHALSKY, A. See GINZBURG and KATCHALSKY, 403
KENNEDY, DONALD. See MELLON and KENNEDY, 487
KIMIZUKA, H., and KOKETSU, K. Changes in the membrane permeability of frog's sartorius muscle fibers in Ca-free EDTA solution, 379
KIRSCHNER, LEONARD B., and BARKER, JENNIFER. Turnover of phosphatidic acid and sodium extrusion from mammalian erythrocytes, 1061
KISHIMOTO, UICHIRO, and ADELMAN, WILLIAM J., JR. Effect of detergent on electrical properties of squid axon membrane, 975
KLOSE, RUTH M. See GIEBISCH, KLOSE, MALNIC, SULLIVAN, and WINDHAGER, 1175
KOKETSU, K. See KIMIZUKA and KOKETSU, 379

L

LEB, D. E. See LINDLEY, HOSHIKO, and LEB, 773
LEFEVRE, PAUL G. The osmotically functional water content of the human erythrocyte, 585
LEHMKUHL, D. See SPERELAKIS and LEHMKUHL, 895
LINDLEY, BARRY D., and HOSHIKO, T. The effects of alkali metal cations and common anions on the frog skin potential, 749
—, —, and LEB, D. E. Effects of D_2O and osmotic gradients on potential and resistance of the isolated frog skin, 773

M

MACROBBIE, ENID A. C. Factors affecting the fluxes of potassium and chloride ions in *Nitella translucens*, 859
MAETZ, J., and GARCÍA ROMEU, F. The mechanism of sodium and chloride uptake by the gills of a fresh-water fish, *Carassius auratus*. II. Evidence for NH_4^+/Na^+ and HCO_3^-/Cl^- exchanges, 1209
—. See GARCÍA ROMEU and MAETZ, 1195
MALNIC, GERHARD. See GIEBISCH, KLOSE, MALNIC, SULLIVAN, and WINDHAGER, 1175
MATRONE, GENNARD. See CARTER, MATRONE, and MENDENHALL, 851
MATTHEWS, ROWENA G., HUBBARD, RUTH, BROWN, PAUL K., and WALD, GEORGE. Tautomeric forms of metarhodopsin, 215
MAZUR, PETER. Kinetics of water loss from cells at subzero temperatures and the likelihood of intracellular freezing, 347
MCCREADY, DONALD W., JR. See ALPERN, MCCREADY, and BARR, 265
MCDOUGAL, D. B., JR., SCHIMKE, ROBERT T., JONES, ELIZABETH M., and TOUHILL, ELIZABETH. Quantitative studies of white matter. II. Enzymes involved in triose phosphate metabolism, 419
MELLON, DEFOREST, JR., and KENNEDY, DONALD. Impulse origin and propagation in a bipolar sensory neuron, 487
MENDENHALL, W. See CARTER, MATRONE, and MENDENHALL, 851
MILSTONE, J. H., OULIANOFF, N., and MILSTONE, V. K. Outstanding characteristics of thrombokinase isolated from bovine plasma, 315
MILSTONE, V. K. See MILSTONE, OULIANOFF, and MILSTONE, 315
MOORE, JOHN W. See NARAHASHI, MOORE, and SCOTT, 965
MULLINS, L. J., and NODA, K. The influence of sodium-free solutions on the membrane potential of frog muscle fibers, 117

N

NAKA, KEN-ICHI. Electrophysiology of the fetal spinal cord. I. Action potentials of the motoneuron, 1003
—. II. Interaction among peripheral inputs and recurrent inhibition, 1023
NARAHASHI, TOSHIO, MOORE, JOHN W., and SCOTT, WILLIAM R. Tetrodotoxin blockage of sodium conductance increase in lobster giant axons, 965
NODA, K. See MULLINS and NODA, 117

O

OTTOSON, D. See BERNHARD and OTTOSON, 465

OULIANOFF, N. See MILSTONE, OULIANOFF, and MILSTONE, 315

P

PAGE, ERNEST, and BERNSTEIN, R. S. Cat heart muscle *in vitro*. V. Diffusion through a sheet of right ventricle, 1129
—, GOERKE, R. J., and STORM, S. R. Cat heart muscle *in vitro*. IV. Inhibition of transport in quiescent muscles, 531

R

RADOVICH, JEVROSIMA, SZENTIVANYI. ANDOR, and TALMAGE, DAVID W. The lack of selective reincorporation into tissue protein of the amino acids derived from the catabolism of serum protein, 297
RAY, PETER M., and RUESINK, ALBERT W. Osmotic behavior of oat coleoptile tissue in relation to growth, 83
REUBEN, JOHN P., GIRARDIER, LUCIEN, and GRUNDFEST, HARRY. Water transfer and cell structure in isolated crayfish muscle fiber, 1141
—. See GIRARDIER, REUBEN, BRANDT, and GRUNDFEST, 189
ROSENBERG, PHILIP. See HOSKIN and ROSENBERG, 1117
RUESINK, ALBERT W. See RAY and RUESINK, 83

S

SCHIMKE, ROBERT T. See MCDOUGAL, SCHIMKE, JONES, and TOUHILL, 419
SCHMIDT, ROBERT S. Independence of the endovestibular potential in homeotherms, 371
SCHULTZ, STANLEY G., EPSTEIN, WOLFGANG, and SOLOMON, A. K. Cation transport in *Escherichia coli*. IV. Kinetics of net K uptake, 329
— and ZALUSKY, RALPH. Ion transport in isolated rabbit ileum. I. Short-circuit current and Na fluxes, 567
— and —. II. The interaction between active sodium and active sugar transport, 1043
SCHURR, J. MICHAEL, 1039
SCOTT, WILLIAM R. See NARAHASHI, MOORE, and SCOTT, 965
SHIBUYA, TATSUAKI, and TAKAGI, SADAYUKI F. Electrical response and growth of olfactory cilia of the olfactory epithelium of the newt in water and on land, 71
SJODIN, R. A., and HENDERSON, E. G. Tracer and non-tracer potassium fluxes in frog sartorius muscle and the kinetics of net potassium movement, 605
SOLOMON, A. K. See SCHULTZ, EPSTEIN, and SOLOMON, 329
SPERELAKIS, NICK, and LEHMKUHL, D. Effect of current on transmembrane potentials in cultured chick heart cells, 895
SPRINGER, GEORG F., and HORTON, RICHARD E. Erythrocyte sensitization by blood group–specific bacterial antigens, 1229
STANDAERT, FRANK G. The mechanisms of post-tetanic potentiation in cat soleus and gastrocnemius muscles, 987
—. Post-tetanic repetitive activity in the cat soleus nerve. Its origin, course, and mechanism of generation, 53
STORM, S. R. See PAGE, GOERKE, and STORM, 531
SULLIVAN, W. JAMES. See GIEBISCH, KLOSE, MALNIC, SULLIVAN, and WINDHAGER, 1175
SZENTIVANYI, ANDOR. See RADOVICH, SZENTIVANYI, and TALMAGE, 297

T

TAKAGI, SADAYUKI F. See SHIBUYA and TAKAGI, 71
TALMAGE, DAVID W. See RADOVICH, SZENTIVANYI, and TALMAGE, 297
TATEDA, HIDEKI, and BEIDLER, LLOYD M. The receptor potential of the taste cell of the rat, 479
TOUHILL, ELIZABETH. See MCDOUGAL, SCHIMKE, JONES, and TOUHILL, 419

V

VARGAS, FERNANDO, and JOHNSON, JOHN A. An estimate of reflection coefficients for rabbit heart capillaries, 667

W

WALD, GEORGE. See MATTHEWS, HUBBARD, BROWN, and WALD, 215
WARNER, LANA T. See GOLDSMITH and WARNER, 433
WEISS, GEORGE B., and HURWITZ, LEON.

Physiological evidence for multiple calcium sites in smooth muscle, 173
WHITTEMBURY, GUILLERMO. Electrical potential profile of the toad skin epithelium, 795
WILLIAMS, T. P. Photoreversal of rhodopsin bleaching, 679
WINDHAGER, ERICH E. See GIEBISCH, KLOSE, MALNIC, SULLIVAN, and WINDHAGER, 1175
WOODBURY, J. W. See JOHNSON and WOODBURY, 827

Y

YEANDLE, S. See FUORTES and YEANDLE, 443

Z

ZADUNAISKY, JOSÉ A., CANDIA, OSCAR A., and CHIARANDINI, DANTE J. The origin of the short-circuit current in the isolated skin of the South American frog *Leptodactylus ocellatus*, 393
ZALUSKY, RALPH. See SCHULTZ and ZALUSKY, 567, 1043

INDEX TO SUBJECTS

A

Acetic acid, ethylenediaminetetra-, solution, calcium-free, changes in membrane permeability of frog sartorius muscle fibers in, 379
Acetylcholine penetration into, and effects on, venom-treated squid axons, alteration by physostigmine and related compounds, 1117
Acid, deoxyribonucleic, ultraviolet-irradiated transforming, from *Haemophilus influenzae*, nitrous acid reactivation, 279
—, nitrous, reactivation of ultraviolet-irradiated transforming deoxyribonucleic acid from *Haemophilus influenzae*, 279
—, phosphatidic, turnover, and sodium extrusion from mammalian erythrocytes, 1061
—secretion, gastric, anion requirements, 735
—solution, acetic, calcium-free, changes in membrane permeability of frog sartorius muscle fibers in, 379
Acids, amino, derived from serum protein catabolism, lack of selective reincorporation into tissue protein, 297
Aconitine, effect on squid giant axon, 719
After-potential that follows trains of impulses in frog muscle fibers, 929
Alkali metal cations and common anions, effects on frog skin potential, 749
Amino acids derived from serum protein catabolism, lack of selective reincorporation into tissue protein, 297
Anaerobiosis, catalase reversion during growth of yeast in, 103
Anesthetics, local, inhibition of caffeine rigor and radiocalcium movements in frog sartorius muscle by, 151
Anion requirements for gastric acid secretion, 735
Anionic and cationic exchanges, mechanism of sodium and chloride uptake by gills of fresh-water fish, *Carassius auratus*, 1209
Anion-permselective membrane in crayfish muscle fibers, possible role in excitation-contraction coupling, evidence for, 189
Anions, common, and alkali metal cations, effects on frog skin potential, 749
Antigens, bacterial, blood group–specific, erythrocyte sensitization by, 1229
Axon membrane, squid, electrical properties, detergent effect, 975
—, squid, giant, effect of aconitine, 719
Axons, lobster, giant, tetrodotoxin blockage of sodium conductance increase in, 965
—, venom-treated, acetylcholine penetration into, and effects on, alteration by physostigmine and related compounds, 1117

B

Bacterial antigens, blood group–specific, erythrocyte sensitization by, 1229
Biosynthesis, macromolecular, effects of inhibitors on persistent rhythm of luminescence in *Gonyaulax*, 1
Bladder, toad, and frog skin, isolated, electrical excitability, 545
Bleaching, rhodopsin, photoreversal, 679
Bloch's law and latency mechanism of b-wave in rat electroretinogram, 1107
Blood cells, red. *See* Erythrocytes.
— group–specific bacterial antigens, erythrocyte sensitization by, 1229
Bovine plasma, outstanding characteristics of thrombokinase isolated from, 315

C

Caffein rigor and radiocalcium movements, inhibition by local anesthetics in frog sartorius muscle, 151
Calcium deprivation, contracture of slow striated muscle during, 133
—, radio-, movements and caffeine rigor, inhibition by local anesthetics in frog sartorius muscle, 151
— sites, multiple, in smooth muscle, physiological evidence for, 173
—, sodium, and potassium, contracture coupling of slow striated muscle in non-ionic solutions and replacement of, 639
Calcium-free ethylenediaminetetraacetic acid solution, changes in membrane

permeability of frog sartorius muscle fibers in, 379
Capillaries, heart, rabbit, estimate of reflection coefficients, 667
Carassius auratus, gills, evidence for anionic and cationic exchanges, 1209
— *auratus*, gills, evidence for independent uptake of sodium and chloride ions, 1195
Cardiac. *See* Heart.
Cat heart muscle *in vitro*, diffusion through sheet of right ventricle, 1129
— heart muscle *in vitro*, inhibition of transport in quiescent muscles, 531
— soleus and gastrocnemius muscles, post-tetanic potentiation, mechanisms, 987
— soleus nerve, post-tetanic repetitive activity, origin, course, and mechanism of generation, 53
Catabolism of serum protein, lack of selective reincorporation into tissue protein of amino acids derived from, 297
Catalase reversion during yeast growth in anaerobiosis, 103
Cation content and transmembrane potential of cardiac cells, influence of lithium ions, 501
— transport in *Escherichia coli*, kinetics of net potassium uptake, 329
Cationic and anionic exchanges, mechanism of sodium and chloride uptake by gills of fresh-water fish, *Carassius auratus*, 1209
Cations, alkali metal, and common anions, effects on frog skin potential, 749
Cell, intracellular freezing, kinetics of water loss from cells at subzero temperatures and likelihood of, 347
— structure and water transfer in isolated crayfish muscle fibers, 1141
—, taste, rat, receptor potential, 479
Cells at subzero temperatures, kinetics of water loss and likelihood of intracellular freezing, 347
—, blood, red. *See* Erythrocytes.
—, cardiac, chick, cultured, effect of current on transmembrane potentials in, 895
—, cardiac, transmembrane potential and cation content, influence of lithium ions, 501
—, hypothalamic neuroendocrine, electrical properties, 691
Chloride and potassium ions in *Nitella translucens*, factors affecting fluxes, 859
Chloride and sodium uptake by gills of fresh-water fish, *Carassius auratus*, evidence for anionic and cationic exchanges, 1209
— and sodium uptake by gills of fresh-water fish, *Carassius auratus*, evidence for independent uptake of ions, 1195
Cilia, olfactory, of newt olfactory epithelium in water and on land, electrical response and growth, 71
Coefficients, frictional, of flows of non-electrolytes through artificial membranes, 403
—, reflection, for rabbit heart capillaries, estimate, 667
Coleoptile tissue, oat, osmotic behavior in relation to growth, 83
Conductance, electrical, of rhodopsin, changes in on photolysis, 241
— increase, sodium, in lobster giant axons, tetrodotoxin blockage, 965
Contractile ability, recovery following contracture in skeletal muscle, 953
Contraction-excitation coupling, evidence for anion-permselective membrane in crayfish muscle fibers and possible role in, 189
Contracture coupling of slow striated muscle in non-ionic solutions and replacement of calcium, sodium, and potassium, 639
— in skeletal muscle, recovery of contractile ability following, 953
— of slow striated muscle during calcium deprivation, 133
—, potassium, selective inhibition in presence of intact twitch, 1079
Cord, spinal, fetal, electrophysiology, action potentials of motoneuron, 1003
—, spinal, fetal, electrophysiology, interaction among peripheral inputs and recurrent inhibition, 1023
Coupling, contracture, of slow striated muscle in non-ionic solutions and replacement of calcium, sodium, and potassium, 639
—, excitation-contraction, evidence for anion-permselective membrane in crayfish muscle fibers and possible role in, 189
Crayfish muscle fibers, evidence for anion-permselective membrane in, possible role in excitation-contraction coupling, 189
— muscle fibers, isolated, water transfer and cell structure, 1141
Cultivation of chick heart cells, effect of

current on transmembrane potentials in, 895
Current effect on transmembrane potentials in cultured chick heart cells, 895
—, short-circuit, in isolated skin of South American frog, *Leptodactylus ocellatus*, origin, 393
—, short-circuit, and sodium fluxes in isolated rabbit ileum, 567

D

Deoxyribonucleic acid, ultraviolet-irradiated transforming, from *Haemophilus influenzae*, nitrous acid reactivation, 279
Detergent effect on electrical properties of squid axon membrane, 975
Deuterium oxide and osmotic gradients, effects on potential and resistance of isolated frog skin, 773
Diaminetetraacetic acid, ethylene-, solution, calcium-free, changes in membrane permeability of frog sartorius muscle fibers in, 379
Diffusion through muscle sheet of right ventricle in cat heart *in vitro*, 1129

E

Electrical conductance of rhodopsin on photolysis, changes in, 241
— excitability of isolated frog skin and toad bladder, 545
— potential profile of toad skin epithelium, 795
— properties of hypothalamic neuroendocrine cells, 691
— properties of squid axon membrane, detergent effect, 975
— response and growth of olfactory cilia of newt olfactory epithelium in water and on land, 71
Electrolytes, non-, flows through artificial membranes, frictional coefficients, 403
Electrophysiology of fetal spinal cord, action potentials of motoneuron, 1003
— of fetal spinal cord, interaction among peripheral inputs and recurrent inhibition, 1023
Electroretinogram, rat, Bloch's law and latency mechanism of b-wave, 1107
—, rat, contrasting effects of adaptation on amplitude and latency of b-wave, 1089
Endovestibular potential in homeotherms, independence, 371
Enzymes involved in triose phosphate metabolism, quantitative studies of white matter, 419
Epithelium, olfactory, newt, electrical response and growth of olfactory cilia in water and on land, 71
—, skin, toad, electrical potential profile, 795
Erythrocyte, fetal, water permeability, 839
—, human, osmotically functional water content, 585
— sensitization by blood group–specific bacterial antigens, 1229
Erythrocytes, human, membrane resistance, 827
—, life span, estimation, 851
—, mammalian, sodium extrusion from, and phosphatidic acid turnover, 1061
Escherichia coli, cation transport in, kinetics of net potassium uptake, 329
Ethylenediaminetetraacetic acid solution, calcium-free, changes in membrane permeability of frog sartorius muscle fibers in, 379
Excitability, electrical, of isolated frog skin and toad bladder, 545
Excitation-contraction coupling, evidence for anion-permselective membrane in crayfish muscle fibers and possible role in, 189
Eye, compound, quantitative studies on pigment migration and light sensitivity at different light intensities, 465
—, *Limulus*, probability of occurrence of discrete potential waves in, 443
—, wolf spider, linear relations between stimulus amplitudes and amplitudes of retinal action potentials from, 13

F

Fetal erythrocyte, water permeability, 839
— spinal cord, electrophysiology, action potentials of motoneuron, 1003
— spinal cord, electrophysiology, interaction among peripheral inputs and recurrent inhibition, 1023
Fibers, muscle, crayfish, evidence for anion-permselective membrane in, possible role in excitation-contraction coupling, 189
—, muscle, crayfish, isolated, water transfer and cell structure, 1141
—, muscle, frog, after-potential that follows trains of impulses in, 929
—, muscle, frog, membrane potential, influence of sodium-free solutions, 117
—, sartorius muscle, frog, in calcium-free

ethylenediaminetetraacetic acid solution, changes in membrane permeability, 379
Fish, fresh-water, *Carassius auratus*, gills, evidence for anionic and cationic exchanges, 1209
—, fresh-water, *Carassius auratus*, gills, evidence for independent uptake of sodium and chloride ions, 1195
Flash duration and intensity, dependence of photopupil response on, 265
Freezing, intracellular, kinetics of water loss from cells at subzero temperatures and likelihood of, 347
Frictional coefficients of flows of non-electrolytes through artificial membranes, 403
Frog muscle fibers, after-potential that follows trains of impulses in, 929
— muscle fibers, membrane potential, influence of sodium-free solutions, 117
— sartorius muscle fibers in calcium-free ethylenediaminetetraacetic acid solution, changes in membrane permeability, 379
— sartorius muscle, inhibition of caffeine rigor and radiocalcium movements by local anesthetics in, 151
— sartorius muscle, tracer and non-tracer potassium fluxes and kinetics of net potassium movement, 605
— skin, influence of sodium concentration on sodium transport across, 879
— skin, isolated, potential and resistance, effects of deuterium oxide and osmotic gradients, 773
— skin potential, effects of alkali metal and common anions on, 749
— skin and toad bladder, isolated, electrical excitability, 545
—, South American, *Leptodactylus ocellatus*, origin of short-circuit current in isolated skin, 393

G

Gastric acid secretion, anion requirements, 735
Gastrocnemius and soleus muscles, cat, post-tetanic potentiation, mechanisms, 987
Gekko gekko, photosensitive retinal pigment system, 33
Geotropic responses of *Phycomyces* sporangiophores, effect of light, 651
Gills, fresh-water fish, *Carassius auratus*, evidence for anionic and cationic exchanges, 1209
Gills, fresh-water fish, *Carassius auratus*, evidence for independent uptake of sodium and chloride ions, 1195
Gonyaulax luminescence, effects of inhibitors of macromolecular biosynthesis on persistent rhythm, 1
Growth and electrical response of olfactory cilia of newt olfactory epithelium in water and on land, 71
—, osmotic behavior of oat coleoptile tissue in relation to, 83
—, yeast, in anaerobiosis, catalase reversion during, 103
Gustatory stimulation accompanied by rhythmical variations observed by means of localization phenomena, 809

H

Haemophilus influenzae, nitrous acid reactivation of ultraviolet-irradiated transforming deoxyribonucleic acid from, 279
Heart capillaries, rabbit, estimate of reflection coefficients, 667
— cells, chick, cultured, effect of current on transmembrane potentials in, 895
— cells, transmembrane potential and cation content, influence of lithium ions, 501
— muscle, cat, *in vitro*, diffusion through sheet of right ventricle, 1129
— muscle, cat, *in vitro*, inhibition of transport in quiescent muscles, 531
Hemophilus influenzae. *See Haemophilus influenzae*.
Homeotherms, independence of endovestibular potential in, 371
Hypothalamic neuroendocrine cells, electrical properties, 691

I

Ileum, rabbit, isolated, ion transport, interaction between active sodium and active sugar transport, 1043
—, rabbit, isolated, ion transport, short-circuit current and sodium fluxes, 567
Impulse origin and propagation in bipolar sensory neuron, 487
Impulses, trains, in frog muscle fibers, after-potential that follows, 929
Insects, vision, vitamin A in, 433
Ion transport in isolated rabbit ileum, interaction between active sodium and active sugar transport, 1043
— transport in isolated rabbit ileum, short-circuit current and sodium fluxes, 567
Ionic, non-, solutions, contracture coupling

of slow striated muscle in, and replacement of calcium, sodium, and potassium, 639
Ions, lithium, influence on transmembrane potential and cation content of cardiac cells, 501
—, potassium and chloride, in *Nitella translucens*, factors affecting fluxes, 859
—, sodium and chloride, evidence for independent uptake by gills of fresh-water fish, *Carassius auratus*, 1195
Irradiation, ultraviolet, of transforming deoxyribonucleic acid from *Haemophilus influenzae*, nitrous acid reactivation, 279

K

Kidneys, rat, single perfused proximal tubules, sodium movement across, 1175
Kinetics of net potassium movement and tracer and non-tracer potassium fluxes in frog sartorius muscle, 605
— of net potassium uptake in *Escherichia coli*, 329
— of water loss from cells at subzero temperatures and likelihood of intracellular freezing, 347

L

Law, Bloch's, and latency mechanism of b-wave in rat electroretinogram, 1107
Leptodactylus ocellatus, South American frog, origin of short-circuit current in isolated skin, 393
Letters to the Editor, 1039, 1251
Life span of red blood cells, estimation, 851
Light, effect on geotropic responses of *Phycomyces* sporangiophores, 651
— sensitivity and pigment migration in compound eye at different light intensities, quantitative studies, 465
Limulus eye, probability of occurrence of discrete potential waves in, 443
Lithium ions, influence on transmembrane potential and cation content of cardiac cells, 501
Lobster giant axons, tetrodotoxin blockage of sodium conductance increase in, 965
Luminescence in *Gonyaulax*, effects of inhibitors of macromolecular biosynthesis on persistent rhythm, 1

M

Macromolecular biosynthesis, effects of inhibitors on persistent rhythm of luminescence in *Gonyaulax*, 1
Mammalian erythrocytes, sodium extrusion from, and phosphatidic acid turnover, 1061
Man, erythrocyte, osmotically functional water content, 585
—, erythrocytes, membrane resistance, 827
Membrane, anion-permselective, in crayfish muscle fibers, possible role in excitation-contraction coupling, evidence for, 189
— permeability of frog sartorius muscle fibers in calcium-free ethylenediaminetetraacetic acid solution, changes in, 379
— potential of frog muscle fibers, influence of sodium-free solutions, 117
— resistance of human red cells, 827
—, squid axon, electrical properties, detergent effect, 975
Membranes, artificial, frictional coefficients of flows of non-electrolytes through, 403
Metabolism, triose phosphate, enzymes involved, quantitative studies of white matter, 419
Metal cations, alkali, and common anions, effects on frog skin potential, 749
Metarhodopsin, tautomeric forms, 215
Motoneuron in fetal spinal cord, action potentials, 1003
Muscle fibers, crayfish, evidence for anion-permselective membrane in, possible role in excitation-contraction coupling, 189
— fibers, crayfish, isolated, water transfer and cell structure, 1141
— fibers, frog, after-potential that follows trains of impulses in, 929
— fibers, frog, membrane potential, influence of sodium-free solutions, 117
— fibers, sartorius, frog, in calcium-free ethylenediaminetetraacetic acid solution, changes in membrane permeability, 379
—, heart, cat, *in vitro*, diffusion through sheet of right ventricle, 1129
—, heart, cat, *in vitro*, inhibition of transport in quiescent muscles, 531
—, sartorius, frog, inhibition of caffeine rigor and radiocalcium movements by local anesthetics in, 151
—, sartorius, frog, tracer and non-tracer potassium fluxes, and kinetics of net potassium movement, 605
—, skeletal, recovery of contractile ability following contracture in, 953
—, smooth, physiological evidence for multiple calcium sites in, 173

Muscle, striated, slow, contracture during calcium deprivation, 133
—, striated, slow, in non-ionic solutions, contracture coupling and replacement of calcium, sodium, and potassium, 639
Muscles, soleus and gastrocnemius, cat, post-tetanic potentiation, mechanisms, 987

N

Nerve, cat soleus, post-tetanic repetitive activity, origin, course, and mechanism of generation, 53
Neuroendocrine cells, hypothalamic, electrical properties, 691
Neuron, sensory, bipolar, impulse origin and propagation in, 487
Newt in water and on land, electrical response and growth of olfactory cilia of olfactory epithelium, 71
Nitella translucens, factors affecting fluxes of potassium and chloride ions in, 859
Nitrous acid reactivation of ultraviolet-irradiated transforming deoxyribonucleic acid from *Haemophilus influenzae*, 279
Nucleic acid, deoxyribo-, ultraviolet-irradiated transforming, from *Haemophilus influenzae*, nitrous acid reactivation, 279

O

Oat coleoptile tissue, osmotic behavior in relation to growth, 83
Olfactory cilia of newt olfactory epithelium in water and on land, electrical response and growth, 71
Osmotic behavior of oat coleoptile tissue in relation to growth, 83
— gradients and deuterium oxide, effects on potential and resistance of isolated frog skin, 773
Osmotically functional water content of human erythrocyte, 585

P

Perfused proximal tubules, single, of rat kidneys, sodium movement across, 1175
Permeability, membrane, of frog sartorius muscle fibers in calcium-free ethylenediaminetetraacetic acid solution, changes in, 379
—, water, of fetal erythrocyte, 839
Phosphatidic acid turnover and sodium extrusion from mammalian erythrocytes, 1061
Photolysis, changes in electrical conductance of rhodopsin on, 241
Photopupil response, dependence on flash duration and intensity, 265
Photoreversal of rhodopsin bleaching, 679
Photosensitive retinal pigment system of *Gekko gekko*, 33
Phycomyces sporangiophores, geotropic responses, effect of light, 651
Physiological evidence for multiple calcium sites in smooth muscle, 173
Physiology, electro-, of fetal spinal cord, action potentials of motoneuron, 1003
—, electro-, of fetal spinal cord, interaction among peripheral inputs and recurrent inhibition, 1023
Physostigmine and related compounds, alteration of acetylcholine penetration into and effects on venom-treated squid axons by, 1117
Pigment migration and light sensitivity in compound eye at different light intensities, quantitative studies, 465
— system, retinal, photosensitive, of *Gekko gekko*, 33
Plasma, bovine, outstanding characteristics of thrombokinase isolated from, 315
Potassium, calcium, and sodium, contracture coupling of slow striated muscle in non-ionic solutions and replacement of, 639
— and chloride ions in *Nitella translucens*, factors affecting fluxes, 859
— contracture, selective inhibition in presence of intact twitch, 1079
— fluxes, tracer and non-tracer, in frog sartorius muscle and kinetics of net potassium movement, 605
— uptake, net, in *Escherichia coli*, kinetics, 329
Potential, after-, that follows trains of impulses in frog muscle fibers, 929
—, endovestibular, in homeotherms, independence, 371
—, membrane, of frog muscle fibers, influence of sodium-free solutions, 117
—, profile, electrical, of toad skin epithelium, 795
—, receptor, of rat taste cell, 479
— and resistance of isolated frog skin, effects of deuterium oxide and osmotic gradients, 773
—, skin, frog, effects of alkali metal cations and common anions on, 749

Potential, transmembrane, and cation content of cardiac cells, influence of lithium ions, 501
—, waves, discrete, probability of occurrence in *Limulus* eye, 443
Potentials, action, of motoneuron in fetal spinal cord, 1003
—, action, retinal, from wolf spider eye, amplitudes, and stimulus amplitudes, linear relations between, 13
—, transmembrane, in cultured chick heart cells, effect of current, 895
Potentiation, post-tetanic, in cat soleus and gastrocnemius muscles, mechanisms, 987
Protein, tissue, lack of selective reincorporation of amino acids derived from serum protein catabolism into, 297

R

Radiocalcium movements and caffeine rigor, inhibition by local anesthetics in frog sartorius muscle, 151
Rat electroretinogram, Bloch's law and latency mechanism of b-wave, 1107
— electroretinogram, contrasting effects of adaptation on amplitude and latency of b-wave, 1089
— kidneys, single perfused proximal tubules, sodium movement across, 1175
— taste cell, receptor potential, 479
Receptor potential of rat taste cell, 479
Reflection coefficients for rabbit heart capillaries, estimate, 667
Resistance, membrane, of human red cells, 827
— and potential of isolated frog skin, effects of deuterium oxide and osmotic gradients, 773
Retinal action potentials from wolf spider eye, amplitudes, and stimulus amplitudes, linear relations between, 13
— pigment system, photosensitive, of *Gekko gekko*, 33
Rhodopsin bleaching, photoreversal, 679
—, electrical conductance, changes in on photolysis, 241
Ribonucleic acid, deoxy-, ultraviolet-irradiated transforming, from *Haemophilus influenzae*, nitrous acid reactivation, 279
Rigor, caffeine, and radiocalcium movements, inhibition by local anesthetics in frog sartorius muscle, 151

S

Sartorius muscle fibers, frog, in calcium-free ethylenediaminetetraacetic acid solution, changes in membrane permeability, 379
— muscle, frog, inhibition of caffeine rigor and radiocalcium movements by local anesthetics in, 151
— muscle, frog, tracer and non-tracer potassium fluxes, and kinetics of net potassium movement, 605
Secretion, gastric acid, anion requirements, 735
Sensitivity, light, and pigment migration in compound eye at different light intensities, quantitative studies, 465
Sensitization, erythrocyte, by blood group-specific bacterial antigens, 1229
Sensory neuron, bipolar, impulse origin and propagation in, 487
Serum protein catabolism, lack of selective reincorporation into tissue protein of amino acids derived from, 297
Skeletal muscle, recovery of contractile ability following contracture in, 953
Skin epithelium, toad, electrical potential profile, 795
—, frog, influence of sodium concentration on sodium transport across, 879
—, frog, isolated, potential and resistance, effects of deuterium oxide and osmotic gradients, 773
—, frog, and toad bladder, isolated, electrical excitability, 545
—, isolated, of South American frog, *Leptodactylus ocellatus*, origin of short-circuit current in, 393
— potential, frog, effects of alkali metal cations and common anions on, 749
Sodium, calcium, and potassium, contracture coupling of slow striated muscle in non-ionic solutions and replacement of, 639
— and chloride uptake by gills of freshwater fish, *Carassius auratus*, evidence for anionic and cationic exchanges, 1209
— and chloride uptake by gills of freshwater fish, *Carassius auratus*, evidence for independent uptake of ions, 1195
— concentration, influence on sodium transport across frog skin, 879
— conductance increase in lobster giant axons, tetrodotoxin blockage, 965

Sodium extrusion from mammalian erythrocytes and phosphatidic acid turnover, 1061
— fluxes and short-circuit current in isolated rabbit ileum, 567
Sodium-free solutions, influence on membrane potential of frog muscle fibers, 117
— movement across single perfused proximal tubules of rat kidneys, 1175
— and sugar transport, active, interaction between in isolated rabbit ileum, 1043
Soleus and gastrocnemius muscles, cat, post-tetanic potentiation, mechanisms, 987
— nerve, cat, post-tetanic repetitive activity, origin, course, and mechanism of generation, 53
Solution, ethylenediaminetetraacetic acid, calcium-free, changes in membrane permeability of frog sartorius muscle fibers in, 379
Solutions, non-ionic, contracture coupling of slow striated muscle in, and replacement of calcium, sodium, and potassium, 639
—, sodium-free, influence on membrane potential of frog muscle fibers, 117
South American frog, *Leptodactylus ocellatus*, origin of short-circuit current in isolated skin, 393
Specificity of bacterial antigens to blood group, erythrocyte sensitization by, 1229
Spider, wolf, eye, linear relations between stimulus amplitudes and amplitudes of retinal action potentials from, 13
Spinal cord, fetal, electrophysiology, action potentials of motoneuron, 1003
— cord, fetal, electrophysiology, interaction among peripheral inputs and recurrent inhibition, 1023
Sporangiophores, *Phycomyces*, geotropic responses, effect of light, 651
Squid axon membrane, electrical properties, detergent effect, 975
— axons, venom-treated, acetylcholine penetration into, and effects on, alteration by physostigmine and related compounds, 1117
— giant axon, effect of aconitine, 719
Stimulation, gustatory, accompanied by rhythmical variations observed by means of localization phenomena, 809
Stimulus amplitudes and amplitudes of retinal action potentials from wolf spider eye, linear relations between, 13
Striated muscle, slow, contracture during calcium deprivation, 133
— muscle, slow, in non-ionic solutions, contracture coupling and replacement of calcium, sodium, and potassium, 639
Sugar and sodium transport, active, interaction between in isolated rabbit ileum, 1043

T

Taste cell, rat, receptor potential, 479
Tautomeric forms of metarhodopsin, 215
Temperatures, subzero, water loss from cells at, kinetics and likelihood of intracellular freezing, 347
Tetanus, post-tetanic potentiation in cat soleus and gastrocnemius muscles, mechanisms, 987
—, post-tetanic repetitive activity in cat soleus nerve, origin, course, and mechanism of generation, 53
Tetrodotoxin blockage of sodium conductance increase in lobster giant axons, 965
Thrombokinase isolated from bovine plasma, outstanding characteristics, 315
Tissue, oat coleoptile, osmotic behavior in relation to growth, 83
— protein, lack of selective reincorporation of amino acids derived from serum protein catabolism into, 297
Toad bladder and frog skin, isolated, electrical excitability, 545
— skin epithelium, electrical potential profile, 795
Tracer and non-tracer potassium fluxes in frog sartorius muscle and kinetics of net potassium movement, 605
Transfer, water, and cell structure in isolated crayfish muscle fibers, 1141
Transforming deoxyribonucleic acid, ultraviolet-irradiated, from *Haemophilus influenzae*, nitrous acid reactivation, 279
Transmembrane potential and cation content of cardiac cells, influence of lithium ions, 501
— potentials in cultured chick heart cells, effect of current, 895
Transport, cation, in *Escherichia coli*, kinetics of net potassium uptake, 329
— inhibition in quiescent cat heart muscles *in vitro*, 531
—, ion, in isolated rabbit ileum, interaction between active sodium and active sugar transport, 1043

Transport, ion, in isolated rabbit ileum, short-circuit current and sodium fluxes, 567
—, sodium, across frog skin, influence of sodium concentration, 879
Triose phosphate metabolism, enzymes involved, quantitative studies of white matter, 419
Tubules, proximal, perfused, single, of rat kidneys, sodium movement across, 1175
Twitch, intact, selective inhibition of potassium contracture in presence of, 1079

U

Ultraviolet-irradiated transforming deoxyribonucleic acid from *Haemophilus influenzae*, nitrous acid reactivation, 279

V

Venom-treated squid axons, acetylcholine penetration into, and effects on, alteration by physostigmine and related compounds, 1117
Ventricle, right, cat heart, diffusion through muscle sheet *in vitro*, 1129
Vision, insects, vitamin A in, 433
Vitamin A in vision of insects, 433

W

Water content, osmotically functional, of human erythrocyte, 585
—, fresh-, fish, *Carassius auratus*, mechanism of sodium and chloride uptake by gills, evidence for anionic and cationic exchanges, 1209
—, fresh-, fish, *Carassius auratus*, mechanism of sodium and chloride uptake by gills, evidence for independent uptake of sodium and chloride ions, 1195
— loss from cells at subzero temperatures, kinetics and likelihood of intracellular freezing, 347
— permeability of fetal erythrocyte, 839
— transfer and cell structure in isolated crayfish muscle fibers, 1141
White matter, enzymes involved in triose phosphate metabolism, 419
Wolf spider, eye, linear relations between stimulus amplitudes and amplitudes of retinal action potentials from, 13

Y

Yeast growth in anaerobiosis, catalase reversion during, 103

3050